Author index

AbouHaidar, M.G. see Eweida, M.

Adams, M.J. *Soilborne Plant Pathogens: Management of Diseases with Macro- and Microelements* (book review), 336

Ahmad Bin Hj Abas see Peregrine, W.T.H.

Andrivon, D. see Limpert, E.

Aririatu, L.E. see Lawani, L.O.

Asher, M.J.C. see Payne, P.A.

Ávila, J.C. de see Dusi, A.N.

Ayish, N. see Elad, Y.

Bailiss, K.W. and Offei, S.K. Alfalfa mosaic virus in lucerne seed maturation and storage, and in seedlings, 539

Bain, R.A., Périombelon, M.C.M., Tsror, L. and Nachmias, A. Blackleg development and tuber yield in relation to numbers of *Erwinia carotovora* subsp. *atroseptica* on seed potatoes, 125

Ball, A.M., Siddiq, A.A. and Giltrap, N.J. Assessment of benomyl resistance and mating type in field isolates of *Pyrenopeziza brassicae*, cause of light leaf spot disease of brassicas, 33

Banihashemi, Z. Biology and control of *Polystigma ochraceum*, the cause of almond red leaf blotch, 309

Barker, H. see Harrison, J.G.

Bashan, B., Cohen, Y. and Levy, Y. Variation in sensitivity of *Phytophthora infestans* to fosetyl-Al, 134

Beale, R.E. and Pitt, D. Biological and integrated control of *Fusarium* basal rot of *Narcissus* using *Minimedusa polyspora* and other micro-organisms, 477

Beever, R.E. see Pak, H.A.

Bharathan, N., Graves, W.R., Narayanan, K.R., Schuster, D.J., Bryan, H.H. and McMillan, R.T., Jr Association of double-stranded RNA with whitefly-mediated silvering in squash, 530

Brasier, C.M. China and the origins of Dutch elm disease: an appraisal, 5

Brasier, C.M., Takai, S., Nordin, J.H. and Richards, W.C. Differences in cerato-ulmin production between the EAN, NAN and the non-aggressive subgroups of *Ophiostoma ulmi*, 231

Brown, J.K.M., O'Dell, M.O., Simpson, C.G. and Wolfe, M.S. The use of DNA polymorphisms to test hypotheses about a population of *Erysiphe graminis* f.sp. *hordei*, 391

Bryan, H.H. see Bharathan, N.

Burchill, R.T. see Jordan, M.M.

Butler, G.M. see Jennings, D.M.

Cameron, A.M. see Carnegie, S.F.

Carnegie, S.F. and Cameron, A.M. Occurrence of *Polyscytalum pustulans*, *Phoma foveata* and *Fusarium solani* var. *coeruleum* in field soils in Scotland, 517

Carver, T.L.W. and Thomas, B.J. Normal germling development by *Erysiphe graminis* on cereal leaves freed of epicuticular wax, 367

Carver, T.L.W., Thomas, B.J., Ingerson-Morris, S.M. and Roderick, H.W. The role of abaxial leaf surface waxes of *Lolium* spp. in resistance to *Erysiphe graminis*, 573

Celetti, M.J., Johnston, H.W., Kimpinski, J., Platt, H.W. and Martin, R.A. Incidence of soil-borne plant pathogens isolated from barley and winter, and other crops in the rotation, on Prince Edward Island, 606

Coffin, R.S. and Coutts, R.H.A. The occurrence of beet pseudo-yellows virus in England, 632

Cohen, J. see Gera, A.

Cohen, Y. see Bashan, B.

Coley-Smith, J.R. White-rot disease of *Allium*: problems of soil-borne diseases in microcosm (British Society for Plant Pathology Presidential Address 1989), 214

Coley-Smith, J.R., Mitchell, C.M. and Sansford, C.E. Long-term survival of sclerotia of *Sclerotium cepivorum* and *Stromatinia gladioli*, 58

Colhoun, J. New Honorary Member of the British Society of Plant Pathology, 212
Connell, S.A., Legg, T. and Heale, J.B. Sensitivity of cells and protoplasts of hop cultivars to cytotoxic components of culture filtrates of *Verticillium albo-atrum* isolates from hop, 92
Cook, R.J. and Thomas, M.R. Influence of site factors on yield response of winter wheat to fungicide programmes in England and Wales, 1979–1987, 548
Cook, R.J. see Ingram, D.M.
Cooke, R.C. see McQuilken, M.P.
Coutts, R.H.A. see Coffin, R.S.
Crute, I.R. *Crop Plant Protection: the Practical Foundations* (book review), 332
Cunningham, P.C. A serious attack by *Spermospora avenae* on oats—a new disease to Western Europe, 191

De Cal, A., M.-Sagasta, E. and Melgarejo, P. Biological control of peach twig blight (*Monilinia laxa*) with *Penicillium frequentans*, 612
Deverall, B.J. see Southerton, S.G.
Deverall, B.J. see Sutherland, M.W.
Dickens, J.S.W. Studies on the chemical control of chrysanthemum white rust caused by *Puccinia horiana*, 434
Dodd, J.C. see Jeffries, P.
Duran-Vila, N. see Juarez, J.
Dusi, A.N., Fonesca, M.E.N. and Ávila, J.C. de. Occurrence of a viroid in chrysanthemum in Brazil, 636

Eden-Green, S.J. *The Mycoplasmas Vol. V. Spiroplasmas of Plants and Arthropods* (book review), 638
Elad, Y., Ayish, N., Ziv, O. and Katan, J. Control of grey mould (*Botyritis cinerea*) by film-forming polymers, 249
Epton, H.A.S. see Wilson, M.
Evans, K. *Nematodes of Forage Legumes and Grasses. Catalogue and Bibliography* (book review), 340
Eweida, M., Xu, H., Singh, R.P. and AbouHaidar, M.G. Comparison between ELISA and biotin-labelled probes from cloned cDNA of potato virus X for the detection of virus in crude tuber extracts, 623

Fischbeck, G. see Limpert, E.
Fitt, B.D.L. *Spatial Components of Plant Disease Epidemics* (book review), 208
Fletcher, J.T., Smewin, B.J. and O'Brien, A. *Pythium oligandrum* associated with a cropping disorder of *Agaricus bisporus*, 603
Fonseca, M.E.N. see Dusi, A.N.
Fonseca, S.E.A. and Wheeler, B.E.J. Assessing resistance to *Crinipellis perniciosa* using cocoa callus, 463
Ford-Lloyd, B.V. see Jennings, D.M.
Fyfe, A.M. see Shattock, R.C.

Gardner, D.E. and Hodges, C.S. Diseases of *Myrica faya* (firetree, Myricaceae) in the Azores, Madeira and the Canary Islands, 326
Geeson, J.D., Browne, K.M. and McKeown, B. Storage of swede caused by *Phytophthora* sp. 629
Gera, A. and Cohen, J. Occurrence of cucumber mosaic virus in phlox in Israel, 558
Gera, A. and Cohen, J. The natural occurrence of bean yellow mosaic, cucumber mosaic and tobacco viruses in lisianthus in Israel, 561
Gilligan, C.A. see Werker, A.R.
Giltrap, N.J. see Ball, A.M.
Goven, A.J. see Lawani, L.O.
Graves, W.R. see Bharathan, N.
Groth, J.V. see Linde, D.C.

Harrison, B.D. *Viruses with Fungal Vectors* (book review), 210
Harrison, J.G., Barker, H., Lowe, R. and Rees, E.A. Estimation of amounts of *Phytophthora infestans* mycelium in leaf tissue by enzyme-linked immunosorbent assay, 274

Heale, J.B. *Experimental and Conceptual Plant Pathology* (book review), 331
Heale, J.B. see Connell, S.A.
Hicks, R.G.T. *Mushrooms: Pest and Disease Control* (book review), 641
Hiruki, C. see Pesic-van Esbroeck, Z.
Hodges, C.S. see Gardner, D.E.
Holderness, M. Control of vascular-streak dieback of cocoa with triazole fungicides and the problem of phytotoxicity, 286
Hollins, T.W. and Scott, P.R. Pathogenicity of *Gaeumannomyces graminis* isolates to wheat and rye seedlings, 269
Hollomon, D.W. *Blue Mould of Tobacco* (book review), 334
Hooper, D.J. *Introduction to Plant Nematology* (book review), 341
Howell, P.J. *Plant Quarantine and the International Transfer of Germplasm* (book review), 333
Hughes, G. Characterizing crop responses to patchy pathogen attack, 5

Ingerson-Morris, S.M. see Carver, T.L.W.
Ingram, D.M and Cook, R.J. Pathogenicity of four *Pythium* species to wheat, barley, peas and lentils, 110

Jeffries, P., Dodd, J.C., Jeger, M.J. and Plumbley, R.A. The biology and control of *Colletotrichum* species on tropical fruit crops, 343
Jeger, M.J. see Jeffries, P.
Jeger, M.J. see Kenerley, C.M.
Jennings, D.M., Ford-Lloyd, B.V. and Butler, G.M. Effect of plant age, leaf position and leaf segment on infection of leek by leek rust, *Puccinia allii*, 591
Johnson, R. see Singh, H.
Johnston, H. W. see Celetti, M.J.
Jordan, M.M., Maude, R.B. and Burchill, R.T. Sources, survival and transmission of *Cladosporium allii* and *C. allii-cepae*, leaf blotch pathogens of leek and onion, 237
Juarez, J., Molins, M.I., Navarro, L. and Duran-Vila, N. Separation of citrus viroids by shoot-tip grafting *in vitro*, 472
Julian, A.M. and Lucas, J.A. Isozyme polymorphism in pathotypes of *Pseudocerosporella herpotricoides* and related species from cereals, 178

Kassim Bin Ahmad, Hj. see Peregrine, W.T.H.
Katan, J. see Elad, Y.
Kavanagh, J.A. see O'Sullivan, E.
Kenerley, C.M. and Jeger, M.J. Root colonization by *Phymatotrichum omnivorum* and symptom expression of Phymatotrichum root rot in cotton in relation to planting date, soil temperature and soil water potential, 489
Kerr, A. see Mazarei, M.
Kester, A.S. see Lawani, L.O.
Kimpinski, J. see Celetti, M.J.
King, A.C. First record of *Tapesia yallundae* as the teleomorph of *Pseudocercosporella herpotrichoides* var. *acuformis*, and its occurrence in the field in the Federal Republic of Germany, 44
Koponen, H. see Valkonen, J.P.T.

Lacey, M.E. see McCartney, H.A.
Laracy, E.P. see Pak, H.A.
Lawani, L.O., Aririatu, L.E., Goven, A.J. and Kester, A.S. Pigment-associated proteins of *Xanthomonas campestris* pv. *juglandis*, 294
Legg, T. see Connell, S.A.
Levy, Y. see Bashan, B.
Limpert, E., Andrivon, D. and Fischbeck, G. Virulence patterns in populations of *Erysiphe graminis* f.sp. *hordei* in Europe in 1986, 402

Linde, D.C., Groth, J.V. and Roelfs, A.P. Genotypic frequencies of phosphoglucose isomerase allozymes in bean rust (*Uromyces appendiculatus*) populations estimated by densitometry, 102
Lonsdale, D. *Disease of Shade Trees* (book review), 337
Lowe, R. see Harrison, J.G.
Lucas, J.A. see Julian, A.M.
Lucas, J.A. see Sherriff, C.
Lyons, N.F. and Taylor, J.D. Serological detection and identification of bacteria from plants by the conjugated *Staphylococcus aureus* slide agglutination test, 584

McCartney, H.A. and Lacey, M.E. The production and relapse of ascospores of *Pyrenopeziza brassicae* on oilseed rape, 17
McIntosh R.A. see Wellings, C.R.
McKeown, B. see Geeson, J.D.
McMillan, R.T., Jr see Bharathan, N.
McQuilken, M.P., Whipps, J.M. and Cooke, R.C. Control of damping-off in cress and sugar-beet by commercial seed-coating with *Pythium oligandrum*, 452
Manners, J.G. *Vascular Wilt Diseases of Plants: Basic Studies and Control* (book review), 337
Martin, R.A. see Celetti, M.J.
Maude, R.B. see Jordan, M.M.
Mayo, M.A. *Virology. Directory and Dictionary of Animal, Bacterial and Plant Viruses* (book review), 339
Mazarei, M. and Kerr, A. Distinguishing pathovars of *Pseudomonas syringae* on peas: nutritional, pathogenicity and serological tests, 278
Melgarejo, P. see De Cal, A.
Meyer, M.C., Van Wyk, R.J. and Phillips, A.J.L. Rhizoctonia leaf spot of tobacco in South Africa, 206
Mitchell, C.M. see Coley-Smith, J.R.
Mitchell, S.J. and Wheeler, B.E.J. Factors affecting the production of apothecia and longevity of sclerotia of *Sclerotinia gladioli*, 70
Molins, M.I. see Juarez, J.
M.-Sagasta, E. see De Cal, A.

Nachmias, A. see Bain, R.A.
Narayanan, K.R. see Bharathan, N.
Navarro, L. see Juarez, J.
Newton, A.C. Detection of components of partial resistance to mildew (*Erysiphe graminis* f.sp. *hordei*) incorporated into advanced breeding lines of barley using measuring of fungal cell wall sterol, 598
Nordin, J.H. see Brasier, C.M.

Obituary. S.D. Garrett, FRS
O'Brien, A. see Fletcher, J.T.
O'Dell, M.O. see Brown, J.K.M.
Offei, S.K. see Bailiss, K.W.
O'Sullivan, E. and Kavanagh, J.A. Damping-off of sugar beet caused by *Rhizoctonia ceralis*, 202

Pak, H.A., Beever, R.E. and Laracy, E.P. Population dynamics of dicarboximide-resistant strains of *Botrytis cinerea* on grapevine in New Zealand, 501
Park, R.F. The role of temperature and rainfall in the epidemology of *Puccinia striiformis* f.sp. *tritici* in the summer rainfall area of eastern Australia, 416
Parry, D.W. The incidence of *Fusarium* spp. in stem bases of selected crops of winter wheat in the Midlands, UK, 619
Payne, C.J. see Walkey, D.G.A.
Payne, P.A. and Asher, M.J.C. The incidence of *Polymyxa betae* and other fungal root parasites of sugar-beet in Britain, 443
Peregrine, W.T.H., Kassim Bin Ahmad, Hj., Ahmad Bin Hj Abas and Sutton, B.C. A serious disease of seedling rambutan caused by *Pseudocercospora nephelii* sp.nov., 197

Périombelon, M.C.M. *Bacteria as Plant Pathogens* (book review), 209
Périombelon, M.C.M. see Bain, R.A.
Pesic-van Esbroeck, Z. and Hiruki, C. Hypersensitive reaction in alfalfa (*Medicago sativa*) induced by alfalfa mosaic virus, 524
Phillips, A.J.L. see Meyer, M.C.
Phillips, A.J.L. The effects of soil solarization on sclerotial populations of *Sclerotinia sclerotiorum*, 38
Pink, D.A.C. see Walkey, D.G.A.
Pitt, D. see Beale, R.E.
Platt, H.W. see Celetti, M.J.
Plumbley, R.A. see Jeffries, P.

Rees, E.A. see Harrison, J.G.
Richards, W.C. see Brasier, C.M.
Roderick, H.W. see Carver, T.L.W.
Roelfs, A.P. see Linde, D.C.

Sansford, C.E. see Coley-Smith, J.R.
Schuster, D.J. see Bharathan, N.
Scott, P.R. see Hollins, T.W.
Seth, D. see Singh, H.
Shattock, J.A. see Shattock, R.C.
Shattock, R.C., Shaw, D.S., Fyfe, A.M., Dunn, J.R., Loney, K.H. and Shattock, J.A. Phenotypes of *Phytophthora infestans* collected in England and Wales from 1985 to 1988: mating type, response to metalaxyl and isoenzyme analysis, 242
Shaw, D.S. see Shattock, R.C.
Shaw, M.W. Effects of temperature, leaf wetness and cultivar on the latent period of *Mycosphaerella graminicola* on winter wheat, 255
Shaw, M.W. *Introduction to Plant Disease Epidemiology* (book review), 642
Sherriff, C. and Lucas, J.A. The host range of isolates of downy mildew, *Peronospora parasitica*, from *Brassica* crop species, 77
Siddiq, A.A. see Ball, A.M.
Sigee, D.C. see Wilson, M.
Simpson, C.G. see Brown, J.K.M.
Singh, H., Johnson, R. and Seth, D. Genes for race-specific resistance to yellow rust (*Puccinia striiformis*) in Indian wheat cultivars, 424
Singh, R.P. see Eweida, M.
Sivanesan, A. *Illustrated Genera of Ascomycetes* (book review), 641
Smewin, B.J. see Fletcher, J.T.
Southerton, S.G. and Deverall, B.J. Changes in phenylalanine ammonia-lyase and peroxidase activities in wheat cultivars expressing resistance to the leaf-rust fungus, 223
Stegmark, R. Variation for virulence among Scandinavian isolates of *Peronospora viciae* f.sp. *pisi* (pea downy mildew) and responses of pea genotypes, 118
Sutherland, M.W. and Deverall, B.J. The ubiquity of non-specific eliciting activity in intercellular washing fluids from rust-infected wheat leaves, 50
Sutton, B.C. see Peregrine, W.T.H.

Takai, S. see Brasier, C.M.
Taylor, J.D. see Lyons, N.F.
Thomas, B.J. see Carver, T.L.W.
Thomas, M.R. see Cook, R.J.
Thresh, J.M. *Advances in Disease Vector Research*, Vol. 5 (book review), 339
Torrance, L. *Advances in Disease Vector Research*, Vol. 6 (book review), 640
Tsror, L. see Bain, R.A.

Valkonen, J.P.T. and Koponen, H. The seed-borne fungi of Chinese cabbage (*Brassica pekinensis*), their pathogenicity and control, 510
Van Wyk, R.J. see Meyer, M.C.

Walkey, D.G.A. and Payne, C.J. The reaction of two lettuce cultivars to mixed infection by beet western yellows virus, lettuce mosaic virus and cucumber mosaic virus, 156
Walkey, D.G.A. and Pink, D.A.C. Studies on resistance to beet western yellows virus in lettuce (*Lactuca sativa*) and the occurrence to field sources of the virus, 141
Wellings, C.R. and McIntosh, R.A. *Puccinia striiformis* f.sp. *tritici* in Australasia: pathogenic changes during the first 10 years, 316
Werker, A.R. and Gilligan, C.A. Analysis of the effects of selected agronomic factors on the dynamics of the take-all disease wheat in field plots, 161
Wheeler, B.E.J. see Fonesca, S.E.A.
Wheeler, B.E.J. see Mitchell, S.J.
Whipps, J.M. see McQuilken, M.P.
Wilson, M., Epton, H.A.S. and Sigee, D.C. Biological control of fire blight of hawthorn (*Crataegus monogyna*) with *Erwinia herbicola* under protected conditions, 301
Wolfe, M.S. see Brown, J.K.M.

Xu, H. see Eweida, M.

Ziv, O. see Elad, Y.